



INTERNATIONAL CANINE SEMEN BANK - OREGON
MAIN OFFICE | P.O. Box 651|Sandy, Oregon 97055
Phone: 503-663-7031 | FAX: (503) 676-8025
Email: ik9sb@aol.com | Website: www.ik9sb.com

ICSB SU Buffer

For Treating Urine in a Canine Semen Collection

In cases where urine is seen in the canine ejaculate, the ICSB SU Buffer can protect the sperm cells from the effects of urine components. ICSB recommends this buffer for use in all ejaculates that contain urine, whether it will be fresh-collected or fresh-chilled.

Keep the buffer frozen until just prior to use. When needed, thaw the buffer at room to body temperature (70-100°F). It is best to thoroughly and gently mix the buffer with the ejaculate as soon as possible for the best results. If the stud regularly has urine in his sample, we recommend placing the buffer in the collection tube prior to collection for immediate buffering.

Please contact ICSB if you have any questions or concerns!



INTERNATIONAL CANINE SEMEN BANK - OREGON
MAIN OFFICE | P.O. Box 651|Sandy, Oregon 97055
Phone: 503-663-7031 | FAX: (503) 676-8025
Email: ik9sb@aol.com | Website: www.ik9sb.com

ICSB SU Buffer

For Treating Urine in a Canine Semen Collection

In cases where urine is seen in the canine ejaculate, the ICSB SU Buffer can protect the sperm cells from the effects of urine components. ICSB recommends this buffer for use in all ejaculates that contain urine, whether it will be fresh-collected or fresh-chilled.

Keep the buffer frozen until just prior to use. When needed, thaw the buffer at room to body temperature (70-100°F). It is best to thoroughly and gently mix the buffer with the ejaculate as soon as possible for the best results. If the stud regularly has urine in his sample, we recommend placing the buffer in the collection tube prior to collection for immediate buffering.

Please contact ICSB if you have any questions or concerns!